

Estimate

BT23-5863 2023-05-03

OnSite Asphalt
OSDI ROC #289244
PO Box 9782
Ogden UT 84409-0782
info@osdiam.com
888-410-6447

Cody Chischilly Page Unified School District Page Arizona 86040 cchischilly@pageud.org 406-381-1398

Page Unified School District, Page, Arizona, 86040

Description	Unit Price	Quantity	Total
CLEANING OF ASPHALT Preparation of asphalt consisting of, Weed eating in overgrown cracks, deep cleaning with wire brush to break up debris (allowing for a proper bond). Use Billy Goat blowers to get rid of excess dirt and rocks. Application of tack oil where areas that have excessive dirt and put Oil Spot Primer on all oil spots in parking lot. Estimate in square feet. Tack Coat will significantly improve the bond between pavement layers, improving pavement strength, reducing surface-course sliding and reducing top-down cracking	\$0.05	64186.00	\$3,209.30
CRACK-SEAL Blow cracks free of dirt and debris. Apply Elastoflex 600 Series crack sealant to opened cracks. Elastoflex is a hot applied, polymer modified asphalt crack sealant. This product applies and sets up best in hot temperatures, and is highly durable in cold climates too. This product is ideal for highways, county roads, municipal streets, parking lots and pathways. Elastoflex is a great value for stretching pavement maintenance dollars. Estimate does not include 75% coverage in alligatored areas unless requested. Estimate in linear feet	\$0.55	19962.00	\$10,979.10
PITCH BLACK SLURRY Machine clean entire asphalt surface. Treat spots with Tack Oil or Oil Spot Primer as required. Apply Pitch Black Slurry pavement sealer by squeegee. Pitch Black Slurry is a blend of Pitch Black Sealcoat with additional emulsion, aggregate, and polymer for optimal performance on eroded asphalt. Estimate in square feet.	\$0.33	34186.00	\$11,281.38
STRIPING Professionally stripe existing layout	\$1,345.00	1.00	\$1,345.00

THIS OFFER IS ACCEPTED THIS DATE	_
COMPANY	
PHONE	
TITLE	
SIGNATURE	
THANK YOU FOR YOUR BUSINESS!	
Warranty: Sealcoating asphalt pavement protects it from sun, of improves friction for drivers. Items not considered to be warrant limited to, damage from snow blowers, snowplows, shovels, che patches, power steering turns, new and reopened cracks or about where asphalt meets concrete like drains, islands, curbing and sproblems from sinking asphalt. This will prevent further damage that is already defected, if perimeter is maintained regularly. Alto be crack-sealed are a temporary fix because the base underestabling these areas will not stop asphalt problems and cracks withrough area.	ty repairs include but are not emicals, tree sap, traffic, use. Sealcoating around edges sidewalks does not fix existing e from happening to the base ligator cracks that are requested neath is likely failing. Crack-
A FINANCE CHARGE will be assessed if accounts are not paid who payment is not made in full to OnSite Asphalt, OnSite Asphalt structuring attorney and lien fees, in connection with the enforce estimate price is good for 30 days, we will have to re-evaluate price is good for 30 days.	hall be entitled to all of its costs, ment of this contract. This
Property Damage Release: It is the owner(s), manager(s) or the responsibility to ensure all fragile, breakable or potential damage from asphalt surface are removed from the safety-working zone. Portable Basketball Hoops or items that pertain to your busines zone should be considered any area within 20' of the nearest as hazard(s) shall be communicated to the foreman on duty prior this proposal releases OnSite Asphalt from any damage within the legal costs associated with the proposed project. Thank you for to this matter. If you have any questions or concerns, please contents of the proposed project.	geable items that can be moved area (ex. Vehicles/Trailers, s/home). The safety-working sphalt surface. Any potential to starting the project. Signing the safety working zone and all your understanding in regards
Signature	Date

